

Written Quiz

- | | <u>POINTS</u> |
|---|----------------------|
| 1. Name three instances in which a hose clamp might be utilized. | <u>30</u> |
| a. _____ | |
| b. _____ | |
| c. _____ | |
| 2. A hose clamp _____ a hose line at a point between two couplings to stop or prevent water flow. | <u>15</u> |
| 3. A hose clamp is placed at least _____ to the rear of the fire apparatus. | <u>15</u> |
| 4. What could happen if a hose clamp is opened too fast. | <u>25</u> |
| _____ | |
| 5. A hose clamp is to be placed no closer than _____ feet from the coupling on the supply side. | <u>15</u> |

POINTS POSSIBLE: 100

POINTS DEDUCTED:

FINAL SCORE:

Written Quiz - Key

- | | <u>POINTS</u> |
|---|----------------------|
| 1. Name three instances in which a hose clamp might be utilized. | <u>30</u> |
| a. WHEN EXTENDING A HOSELINE | |
| b. TO STOP WATER FROM FLOWING THROUGH A RUPTURED HOSE | |
| c. PRIOR TO CONNECTING SUPPLY LINE TO PUMP INTAKE | |
| d. WHEN RETRIEVING A WILD HOSELINE | |
| 2. A hose clamp COMPRESSES a hose line at a point between two couplings to stop or prevent water flow. | <u>15</u> |
| 3. A hose clamp is placed at least 20 FEET to the rear of the fire apparatus. | <u>15</u> |
| 4. What could happen if a hose clamp is opened too fast. | <u>25</u> |
| WATER HAMMER | |
| 5. A hose clamp is to be placed no closer than 6 feet from the coupling on the supply side. | <u>15</u> |

POINTS POSSIBLE: 100

POINTS DEDUCTED:

FINAL SCORE: