

# Written Quiz

	<b><u>POINTS</u></b>
1. The proper fuel mixture ratio for the Waterous Floto-Pump is ____.	<u>15</u>
2. The floto-pump should not be operated in less than _____ inches of water.	<u>15</u>
3. The floto-pump is a _____ pump.	<u>10</u>
4. The fuel tank capacity on a floto-pump is _____ .	<u>10</u>
5. A floto-pump should operate for _____ to _____ minutes on a tank of fuel.	<u>10</u>
6. The floto-pump should be placed in the water _____ it is started.	<u>15</u>
7. The size of the _____ and type of _____ will control the throttle setting.	<u>15</u>
8. _____ protection must be worn when the floto-pump is pumping.	<u>10</u>

**POINTS POSSIBLE:** 100

**POINTS DEDUCTED:**

**FINAL SCORE:**

	<b><u>POINTS</u></b>
1. The proper fuel mixture ratio for the Waterous Floto-Pump is <b>20:1</b> .	<u>15</u>
2. The floto-pump should not be operated in less than <b>6</b> inches of water.	<u>15</u>
3. The floto-pump is a <b>CENTRIFUGAL</b> pump.	<u>10</u>
4. The fuel tank capacity on a floto-pump is <b>5 QUARTS</b> .	<u>10</u>
5. A floto-pump should operate for <b>60 to 90</b> minutes on a tank of fuel.	<u>10</u>
6. The floto-pump should be placed in the water <b>AFTER</b> it is started.	<u>15</u>
7. The size of the <b>HOSE</b> and type of <b>NOZZLE</b> will control the throttle setting.	<u>15</u>
8. <b>EAR</b> protection must be worn when the floto-pump is pumping.	<u>10</u>

**POINTS POSSIBLE:** 100

**POINTS DEDUCTED:**

**FINAL SCORE:**