

VEHICLE APPLICATION AND ASSIGNMENT SCHEDULE 6712

(No. 142 April 2012)

FIRE PROTECTION - REGION 6712.1

(No. 142 April 2012)

<u>ASSIGNMENT</u>	<u>VEHICLE TYPE</u>	<u>COLOR</u>	<u>EMERGENCY EQUIPMENT¹²</u>
Region Chief	Sedan, Full Size Police or SUV Full Size 4WD or Pickup 4WD Standard or Extended Cab ¾ Ton 6 ½' Bed	White	Red, Full or Minimum
Assistant Region Chief	Sedan, Full Size Police or SUV Full Size 4WD or Pickup 4WD Standard or Extended Cab ¾ Ton 6 ½' Bed	White	Red, Full or Minimum
Staff Chief Operations	Sedan, Full Size Police or SUV Full Size 4WD or Pickup 4WD Standard or Extended Cab ¾ Ton 6 ½' Bed	White	Red, Full or Minimum or None
Staff Chief Management Services	Sedan, Full Size Police or SUV Full Size 4WD or Pickup 4WD Standard or Extended Cab ¾ Ton 6 ½' Bed	White	Red, Full or Minimum or None
Deputy Chief Fire Control Operations	Sedan, Full Size Police or SUV Full size 4WD or Pickup 4WD Standard or Extended Cab ¾ Ton 6 ½' Bed	White	Red, Full or Minimum
Division Chief Fire Control Operations	Sedan, Full Size Police or SUV Full size 4WD or Pickup 4WD Standard or Extended Cab ¾ Ton 6 ½' Bed	White	Red, Full or Minimum
Deputy Chief Fire Prevention	Sedan, Full Size Police or SUV Full size 4WD or, Pickup 4WD Standard or Extended Cab ¾ Ton 6 ½' Bed	White	Red and Blue, Full or Minimum
	Undercover ⁸	Random	Concealed
Division Chief Fire Prevention	Sedan, Full Size Police or SUV Full size 4WD or, Pickup 4WD Standard or Extended Cab ¾ Ton 6 ½' Bed	White	Red and Blue, Full or Minimum
	Undercover ⁸	Random	Concealed

- 1 Requires special request and justification.
- 2 To be implemented upon justification based on mileage use.
- 3 Other sizes available based on special request and justification.
- 4 One (1) per each dozer-transport combination.
- 5 Second stakeside with approval from deputy Director, Fire Protection.
- 6 Units with one (1) or two (2) camps are authorized for one (1) stakeside.
Units with three (3) or four (4) camps are authorized for two (2) stakesides.
Additional stakesides pending justification and approval by Deputy Director, Fire Protection.

- 7 Replacement cycle same as CCV (200,000 miles).
- 8 Requires special request and justification from the Director.
- 9 Not all positions require vehicle assignments.
- 10 Most vehicles are leased from DGS-OFAM and are Random colored.
- 11 California State Fire Marshal is its own classification separate from CAL FIRE Assistant Chief with a working title of Division Chief.
- 12 Refer to 6711 Mobile Equipment Definitions and 6840 Emergency Warning Devices

R
E
V

<u>ASSIGNMENT</u>	<u>VEHICLE TYPE</u>	<u>COLOR</u>	<u>EMERGENCY EQUIPMENT¹²</u>
Battalion Chief	Sedan, Full Size Police or Pickup 4WD Standard or Extended Cab ¾ Ton 6 ½' Bed	White	Red, Full or Minimum
Artisan/ Tech Services Supervisor	Sedan, Intermediate or Pickup, ¾ or 1 ton w/Artisan body 14,500 GVW ¹ or Pickup 2 or 4WD *8 Standard or Extended Cab ¾ Ton 6 ½' Bed	White	Amber Minimum or None
Region Fleet Manager	Sedan, Intermediate or Crossover or Pickup 2 or 4WD ¹ Standard or Extended Cab ¾ Ton 6 ½' Bed	White	Amber Full or Minimum
Pool Vehicle (ECC/BSO, etc.)	Sedan, Intermediate or Crossover or Van, 9 Passenger or 12 Passenger w/tow package	White	None
Public Information Officer	SUV Full Size 4WD or Pickup 4WD Standard or Extended Cab ¾ Ton 6 ½' Bed	White	Red, Full or Minimum
Support Management Services ²	Sedan, Intermediate or Crossover	White	None
Information Technology Coordinator	Van, Cargo, w/tow package 2 or 4WD ¹ , 2 or 4WD or Pickup Standard or Extended Cab 2 or 4WD ¾ Ton 6 ½' Bed	White	None
Telecommunications	Van, Cargo, w/tow package 2 or 4WD or Pickup Standard or Extended Cab 2 or 4WD ¾ Ton 6 ½' Bed	White	None
Service Center	One (1) Stakeside w/ power liftgate, 10,000 GVW w/9' Bed or 14,500 GVW w/12' Bed ¹	White	Amber Minimum or None
Service Center	One (1) Van, 9 Passenger or 12 Passenger w/tow package	White	Amber Minimum or None
Service Center	One (1) Forklift, LPG, 6000 lb. ³ w/pneumatic tires & side shift forks	Factory Color	Amber Strobe
Specialty Equipment ¹	Complement of specialty and/or		

1 Requires special request and justification.

2 To be implemented upon justification based on mileage use.

3 Other sizes available based on special request and justification.

4 One (1) per each dozer-transport combination.

5 Second stakeside with approval from deputy Director, Fire Protection.

6 Units with one (1) or two (2) camps are authorized for one (1) stakeside.

Units with three (3) or four (4) camps are authorized for two (2) stakesides.

Additional stakesides pending justification and approval by Deputy Director, Fire Protection.

7 Replacement cycle same as CCV (200,000 miles).

8 Requires special request and justification from the Director.

9 Not all positions require vehicle assignments.

10 Most vehicles are leased from DGS-OFAM and are Random colored.

11 California State Fire Marshal is its own classification separate from CAL FIRE Assistant Chief with a working title of Division Chief.

12 Refer to 6711 Mobile Equipment Definitions and 6840 Emergency Warning Devices

FIRE PROTECTION - REGION (Continued)

Construction equipment.

- | | | | | |
|---|---|----|--|---|
| 1 | Requires special request and justification. | 7 | Replacement cycle same as CCV (200,000 miles). | 1 |
| 2 | To be implemented upon justification based on mileage use. | 8 | Requires special request and justification from the Director. | |
| 3 | Other sizes available based on special request and justification. | 9 | Not all positions require vehicle assignments. | |
| 4 | One (1) per each dozer-transport combination. | 10 | Most vehicles are leased from DGS-OFAM and are random colored. | |
| 5 | Second stakeside with approval from deputy Director, Fire Protection. | 11 | California State Fire Marshal is its own classification separate from CAL FIRE Assistant Chief with a working title of Division Chief. | |
| 6 | Units with one (1) or two (2) camps are authorized for one (1) stakeside.
Units with three (3) or four (4) camps are authorized for two (2) stakesides.
Additional stakesides pending justification and approval by Deputy Director, Fire Protection. | 12 | Refer to 6711 Mobile Equipment Definitions and 6840 Emergency Warning Devices | |

FIRE PROTECTION - UNIT
 (January, 2012)

6712.2

<u>ASSIGNMENT</u>	<u>VEHICLE TYPE</u>	<u>COLOR</u>	<u>EMERGENCY EQUIPMENT¹²</u>
Unit Chief	Sedan, Full Size Police or SUV Full Size 4WD or Pickup 4WD Standard or Extended Cab ¾ Ton 6 ½' Bed	White	Red, Full or Minimum
Deputy Chief/ Assistant Chief	Sedan Full Size Police or SUV Full size 4WD or Pickup 4WD Standard or Extended Cab ¾ Ton 6 ½' Bed	White	Red, Full or Minimum
Battalion Chief/ Fire Prevention	Pickup 4WD Standard or Extended Cab ¾ Ton 6 ½' Bed	White	Red, Full
Training/ECC/Air Attack	Pickup 4WD Standard or Extended Cab ¾ Ton 6 ½' Bed	White	Red, Full or Minimum
Fire Prevention General Use	Sedan, Full Size Police or Pickup 4WD Standard or Extended Cab ¾ Ton 6 ½' Bed or Van, 9 Passenger or 12 Passenger w/tow package	White	Red and Blue, Full or Minimum or None
Unit Fleet Manager	Pickup, ¾ or 1 ton, w/Artisan body or Pickup, ¾ Ton, 6 ½' Bed, 2 or 4WD ¹ Standard or Extended Cab	White	Amber Full Minimum or None
Fire Engine	ICS Type III, 2- or 4WD	Red	Red Full
Bulldozer	ICS Type II or III	Yellow	none
Bulldozer Transport Truck	ICS Type Medium	Red	Red Full
Bulldozer Support ⁴	Bulldozer Service Unit, 1-ton w/9' flatbed, 4WD or 1-ton w/Artisan body 4WD	White	Red Full

1 Requires special request and justification.
 2 To be implemented upon justification based on mileage use.
 3 Other sizes available based on special request and justification.
 4 One (1) per each dozer-transport combination.
 5 Second stakeside with approval from deputy Director, Fire Protection.
 6 Units with one (1) or two (2) camps are authorized for one (1) stakeside. Units with three (3) or four (4) camps are authorized for two (2) stakesides. Additional stakesides pending justification and approval by Deputy Director, Fire Protection.

7 Replacement cycle same as CCV (200,000 miles).
 8 Requires special request and justification from the Director.
 9 Not all positions require vehicle assignments.
 10 Most vehicles are leased from DGS-OFAM and are random colored.
 11 California State Fire Marshal is its own classification separate from CAL FIRE Assistant Chief with a working title of Division Chief.
 12 Refer to 6711 Mobile Equipment Definitions and 6840 Emergency Warning Devices

<u>ASSIGNMENT</u>	<u>VEHICLE TYPE</u>	<u>COLOR</u>	<u>EMERGENCY EQUIPMENT¹²</u>
Service Center	One (1) Stakeside ⁵ w/power lift gate 14,500 GVW w/12' bed or 22,000 GVW w/14' bed	White	Amber Minimum or None
Service Center	One (1) Van, 9 Passenger or 12 Passenger or Cargo w/tow package	White	None
Service Center	One (1) Forklift, LPG, 6000 lb. ³ w/pneumatic tires & side shift forks	Factory Color	Amber Strobe
Unit Utility <i>Two (2) vehicles per Unit Plus one (1) per Battalion</i>	Pickup, ¾ ton, 6 ½' or 8' Bed, 2 or 4WD, Standard or Extended Cab Pickup 4WD Standard or Extended Cab ¾ Ton 6 ½' Bed	White	Red, Full or Minimum or None
Helitack Base	One (1) Van, 9 Passenger or 12 Passenger w/tow package or Helicopter Support Unit	White	Amber Full or Minimum
Helitack Base	One Helitender	Red	Amber Full
Helitack Base	One (1) Trailer w/Terra Torch	Red	None
Air Base	One (1) Van, 9 Passenger or 12 Passenger w/tow package	White	None
Air Base	One (1) Forklift, LPG, 6000 lb. ³ w/pneumatic tires & side shift forks	Factory Color	Amber Strobe
Auto Shop	One (1) Forklift, LPG 6000 lb. ³ w/pneumatic tires & side shift forks	Factory Color	Amber Strobe
Heavy Equipment Mechanic	Artisan Vehicle, 1-ton w/utility body or 14500 GVW, w/super structure body ¹ w/optional crane	White	Amber, Full or Minimum
Specialty Equipment	Mobile Command Center (MCC) (LNU, SHU, AEU, FKU, SLU, MVU) Complement of specialty and/or Construction equipment. ¹	White	Red Full

1 Requires special request and justification.
2 To be implemented upon justification based on mileage use.
3 Other sizes available based on special request and justification.
4 One (1) per each dozer-transport combination.
5 Second stakeside with approval from deputy Director, Fire Protection.
6 Units with one (1) or two (2) camps are authorized for one (1) stakeside. Units with three (3) or four (4) camps are authorized for two (2) stakesides. Additional stakesides pending justification and approval by Deputy Director, Fire Protection.

7 Replacement cycle same as CCV (200,000 miles).
8 Requires special request and justification from the Director.
9 Not all positions require vehicle assignments.
10 Most vehicles are leased from DGS-OFAM and are random colored.
11 California State Fire Marshal is its own classification separate from CAL FIRE Assistant Chief with a working title of Division Chief.
12 Refer to 6711 Mobile Equipment Definitions and 6840 Emergency Warning Devices

(See next section)

(See HB Table of Contents)

(See Forms or Forms Samples)

- | | | | | |
|---|---|----|--|---|
| 1 | Requires special request and justification. | 7 | Replacement cycle same as CCV (200,000 miles). | 1 |
| 2 | To be implemented upon justification based on mileage use. | 8 | Requires special request and justification from the Director. | |
| 3 | Other sizes available based on special request and justification. | 9 | Not all positions require vehicle assignments. | |
| 4 | One (1) per each dozer-transport combination. | 10 | Most vehicles are leased from DGS-OFAM and are random colored. | |
| 5 | Second stakeside with approval from deputy Director, Fire Protection. | 11 | California State Fire Marshal is its own classification separate from CAL FIRE Assistant Chief with a working title of Division Chief. | |
| 6 | Units with one (1) or two (2) camps are authorized for one (1) stakeside.
Units with three (3) or four (4) camps are authorized for two (2) stakesides.
Additional stakesides pending justification and approval by Deputy Director, Fire Protection. | 12 | Refer to 6711 Mobile Equipment Definitions and 6840 Emergency Warning Devices | |